

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	83	DTD with generat\$3 near3 XML and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 17:37
L2	54	DTD near4 generat\$3 near3 XML and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 17:39
L3	1	"20030135753".pn. and generat\$3 with XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 18:16
L4	35	DTD same security and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 18:22
L5	1	"6961849".pn. and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 18:22
S1	3490	713/201.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 15:02
S2	1933	S1 and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 16:24
S3	2	"20030135753".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 15:41

EAST Search History

S4	1	S3 and compar\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 15:42
S5	1	automatic\$4 with config\$3 with tunnel\$2 and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 15:46
S6	77	config\$3 with tunnel\$2 and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 16:04
S7	10	S6 and (DTD or xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 13:27
S8	2	"5864666".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 16:03
S9	29	tunnel\$2 same (DTD or xml) and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 16:24
S11	20	S9 not S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 16:15
S12	2	"20010010076".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 16:09

EAST Search History

S13	1	S12 and DTD	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 16:09
S14	2	"6076168".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 16:16
S15	177	S2 and tunnel\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 16:59
S16	148	tunnel\$2 and (DTD or xml) and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 08:13
S17	119	S16 not S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 16:25
S18	2	"20030005328".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 16:50
S19	0	S18 and (DTD or xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 16:50
S20	8	"20010005883".pn. "6327660".pn. "20020099939".pn. "20030182431". pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 16:55

EAST Search History

S21	1	karanvir.in. and grewal.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 16:58
S22	1	cristina.in. and georgescu.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 16:58
S23	123	S15 and (format or document\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 16:59
S24	117647	tunnel\$4 and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 08:14
S25	148	tunnel\$2 and (DTD or xml) and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 08:15
S26	183	tunnel\$4 and (xml or dtd) and @ad<"20010823" not S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 08:29
S27	123	S26 not hoffman.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 08:15
S28	94	S27 not menninger.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 08:16

EAST Search History

S29	86	S28 not burk.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 08:16
S31	1	S24 and (data adj type adj definition) and @ad<"20010823" not S25 not S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 08:32
S32	0	S24 and (data adj type adj declaration) and @ad<"20010823" not S25 not S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 08:32
S33	2467	709/227.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 09:06
S34	116	S33 and tunnel\$4 and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 09:53
S35	16	jacqueline.in. and wilson.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 09:54
S36	12	S35 and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 10:20
S37	2	"5983350".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 10:20

EAST Search History

S38	2	"20020178355".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 11:24
S39	1	S38 and automatic\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 12:01
S40	1	S38 and header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 11:53
S41	0	S38 and protection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 11:54
S42	0	S38 and (dtd or xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 12:01
S43	2	"20010010076".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 12:06
S44	2	"6631416".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 13:53
S45	0	S44 and dtd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 13:21

EAST Search History

S46	0	S44 and type adj definition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 13:21
S47	60	xml and dtd and tunnel\$4 and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 13:28
S48	40	xml and dtd same tag\$2 and tunnel\$4 and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 13:42
S49	172	xml with dtd same tag\$2 and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 13:43
S50	105	xml with dtd same tag\$2 and generat\$4 with xml and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 13:50
S51	2	"20030135753".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 13:51
S52	1	S51 and dtd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 13:51
S53	0	S44 and schema	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 13:53

EAST Search History

S54	0	S44 and tag\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 13:53
S55	2	"20030135753".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 16:06
S56	1	"20030135753".pn. and exchang\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 12:15
S57	0	"20030135753".pn. and select\$3 with format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 12:16
S58	2	"20030135753".pn. and format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 12:26
S59	2	"6938155".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 14:23
S60	2	"20020178355".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 14:26
S61	4	"20020178361".pn. "20020178240". pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 14:35

EAST Search History

S62	1	"20020178355".pn. and format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 14:35
S63	0	(DTD or document adj type adj definition) with tunnel\$2 and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 10:12
S64	6	(DTD or document adj type adj definition) same tunnel\$2 and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 12:08
S65	344	(DTD or document adj type adj definition) same format and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 10:13
S66	216	(DTD or document adj type adj definition) with format and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 10:13
S67	19	(DTD or document adj type adj definition) with format same (secur\$3) and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 10:15
S68	3	(DTD or document adj type adj definition) with specification same (secur\$3) and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 10:15
S69	2	"5983350".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 11:15

EAST Search History

S70	2	"6938155".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 11:16
S71	427	(virtual or security) near3 tunnel\$2 and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 12:11
S72	29	(virtual or security) near3 tunnel\$2 with configur\$3 and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 12:13
S73	45	(virtual or security) near3 tunnel\$2 with configur\$5 and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 12:33
S74	19	(automatic\$4 or dynamic\$3) near3 configur\$5 near5 tunnel\$2 and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 12:37
S75	0	"20020178355".pn. and (dtd or document adj type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 12:38
S76	0	"6938155".pn. and (dtd or document adj type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 14:14
S77	0	root with transform with protection with element and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 14:15

EAST Search History

S78	1014	root near2 element and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 14:21
S79	0	root near2 element same tunnel\$2 and @ad<"20010823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 14:28
S80	2	"6938155".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 14:28
S81	1	"6631416".pn: and ipsec	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 14:38